

National Library PubMed of Medicine

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search Publ	Wed ▼ for					Go Clea	ar
***************************************	Limit	s Preview	w/Index His	story Clip	board		
)	***************************************					
	Display	Abstract	▼ Save	Tay Ord	er Addit	o Clipboord	

Entrez PubMed

1: Biochem Biophys Res Commun 1997 Oct 9;239(1):197-204

Related Articles, Books, Protein, Nucleotide, LinkOut

IDE 🏲 🗈

PubMed Services Molecular characterization, expression in Escherichia coli, and epitope analysis of a two EF-hand calcium-binding birch pollen allergen, Bet v 4.

Twardosz A, Hayek B, Seiberler S, Vangelista L, Elfman L, Gronlund H, Kraft D, Valenta R

Institute of General and Experimental Pathology, AKH, University of Vienna, Austria.

Related Resources

Birch pollen belongs to the most potent elicitors of Type I allergic reactions in early spring. Using serum IgE from a birch pollen allergic patient, two cDNA clones (clone 6 and clone 13) were isolated from a birch pollen expression cDNA library constructed in phage lambda gt11. Clone 6 encoded a 9.3 kD two EF-hand calcium-binding protein, designated Bet v 4, with significant end to end sequence homology to EF-hand calcium-binding allergens from weed and grass pollen. Recombinant Bet v 4, expressed as beta-galactosidase fusion protein, reacted with serum IgE from approximately 20% of pollen allergic individuals. Depletion of allergenbound calcium by EGTA treatment lead to a substantial reduction of IgE-binding to Bet v 4, indicating that protein-bound calcium is necessary for the maintenance of IgE-epitopes. The greatly reduced IgE-binding capacity of clone 13, a Bet v 4 fragment that lacked the 16 N-terminal amino acids, indicated that the N-terminus contributes significantly to the proteins IgE-binding capacity. By IgE-inhibition experiments it was demonstrated that recombinant Bet v 4 shared IgE-epitopes with natural Bet v 4 and a homologous timothy grass pollen allergen. Recombinant Bet v 4 may therefore be considered as a relevant crossreactive plant allergen, which may be used for diagnosis and treatment of patients suffering from multivalent plant allergies.

PMID: 9345295

Dioniou Att
Display Abstract Save Lext Order Add to Clipboard